

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

An Account of an Observation of an Eclipse of the Moon, observed at Moscua in Russia, on April 5. 1688. compared with the same observed at Lipsick; whereby the Longitude of the former Place is ascertained: Together with the Latitude of several principal Places in the Empire of Ruffia.

HE Royal Society being desirous to contribute what they may to the rectifying of Geography, and determining the Longitudes of Places, amongst others did recommend the procuring an Eclipse to be observed at Moscua, to an eminent Merchant trading there; at whose instance one Mr. Timmerman, a Mathematician, residing

on the place, returned the following account.

April 5. 1688. half a quarter of an hour after seven in the Evening, the Moon arose clear, but of a deep red colour without any fign of Eclipse: at 7h the Moon went into a thick Cloud, but was again clear at 7h 38m when the under-side of the Body of the Moon was begun to be obscured, in a clear Sky; she being then in the 25th degree of Libra, and 6° ½ above the Horizon. (Suppose the Center.)

At 9h the whole under-fide of the Moon was eclipfed, and about 8 minutes after nine, it was at the height, or rather seemed to decrease. At 9h 1/2 there was still a third part of the Moon Eclipsed. (Suppose of her Circumference.)

About ten it decreased apace, and at 10h 1 there was but little to be seen: At 10h 45' it was certainly ended, the Moon being then about 22° high. Thus far the Obferver.

The duration of this Eclipse is here made from 7th 38' to about 10h 45', which agrees within 8 or 10 minutes with our Tables, that never err fenfibly in the continuance of Eclipses; and so much ought to be allowed to an Observer not sufficiently instructed to distinguish the Penumbra from the true shadow, though a small Te-

lescope a 2

lescope were used in this Observation, as we are since informed. Let us conclude then, That the end was at 10^h 40' at Moscua. We do not find that this Eclipse was observed at London, and it was in probability cloudy, and otherwise only the latter part thereof would have been visible: However this defect is in good part supplied by an Observation thereof made at Lipsick, by Mr. Gottsrid Kirck, and published in his Ephemerides for the Year 1689. where the end is determined at 8^h 54' P.M. Hence Moscua will be 1^h 46' to the Eastwards of Lipsick; and the difference of Meridians between London and Lipsick being already determined 49 min. it will follow that Moscua is 2^h 35' to the East of London, or 38^b 45' of Longitude, which from other Accounts we find to be very near that of the City of Aleppo in Syria.

By the same Hand we have procured the Latitudes of the following Places, observed, as 'tis said, with a large

Quadrant.

Moscua 55 34 Yereslaw 57 44 Wologda 59 19 Wostak 61 15 Arkangel 64 30